ELEKTRO PARTNER

1 age



Page 1 of 3

MAKE / MODEL:

YEAR: All ENGINE CODE:

SUBJECT / SYMPTOM / TROUBLE CODE:

TEXA - myTEXA 2-factor clearance via Authenticator App

SOLUTION:

This guide is only relevant after completion of bulletin No. 9263 or No. 9676.

Log in via 2-factor authentication on smartphone.

If you do not already have an "Authenticator App" from either Google or Microsoft, they can be downloaded from the App store or Google store.

This example uses the Authenticator App from Microsoft.

- Google Authenticator
- Microsoft Authenticator
- Once the application is installed on the Smartphone, one must select verified IDs
- Press Scan QR Code









ELEKTRO PARTNER

BULLETIN

SOLUTION CONTINUED:

In future, the procedure below must be completed every time you log in to myTEXA on the TEXA diagnostic tool.

- 1. Tap the person in the right corner
- 2. Select existing user
- 3. Or log in as another user

TEXA	←	→ ŵ ¢ 📀			IDC5 v.76.0.1 📯 🗙			
Dia	gnose	Menu		VCI for	bindel			
	Q	° ۹۹	ijo Adas	Authenticator				
	Diagnose	Mileage and VIN check	Videokamera/radar kalibrering	Sørg for at du bruger den tilsvarende bruger som påkrævet af producenterne af sikkerhedsmæssige årsager. MASTER USER				
	Ô	•	(?) WEB	Fjern Iog ind som Fjern Fjern Iog ind som Fjern				
Pr	rogrammering af ransporttilstand	Special Functions	Løste fejl	R log ind som				
Lini	iks og andre funktioner Log ind som en anden bruger 3 Brugerkonfigurationen i myTEXA							
	(D) Ø							

Log in with myTEXA email and password.

TEXA		→ û ° 📀						IDC5 v.76.0.	1 8 ×
Dia	nose							VCI forbindelse: SMA	ART Đ
	Q		io adas	Authentica	de lorto	×	авс 0 0	(!) TPMS	
	Diagnose	Mileage and VIN check	Videokamera/radar kalibrering	Sørg	TEXA	ie af	ing af sprog	TPMS	
	ò	•	() WEB		Log på Log på med din e-mailadresse ©elektropartner.dk				
Pr t	ogrammering af ansporttilstand	Special Functions	Løste fejl	R 💶	Har du plemt din adpangskode? Log på	,			
Link	s og andre funkt	ioner		Log ind :		myTEXA			
	(DU Ø			TEXA					





ELEKTRO PARTNER

ě

BULLETIN

SOL	UTION CONTI	NUED:			
т		→ 101 & ♥			IDC5 v./6.0.1 X ×
	Diagnose				VCI forbindelse: SMART
	Q	e e e	io adas	Authentice	(!) TPMS
	Diagnose	Mileage and VIN check	Videokamera/radar kalibrering	Sørg	трмѕ
	Ô	?	() WEB	Enter the verification code from your authenticator app.*	
	Programmering af transporttilstand	Special Functions	Løste fejl	R verify n	
	Links og andre funktio	oner			
	(D)) @				

Authenticator App will now show a rolling code that changes every 30 seconds. Enter the code in TEXA and then log in.



